

Perry Wool

GENERAL SPECIFICATIONS

WEIGHT (LINEAR YARD) 15-16 oz
WIDTH 54"

PIECE DYED YARN DYED FIBER DYED
 DOBBY JACQUARD PILE

YARN PER INCH 34.3 EPI, 36.8 PPI
YARN SIZE MN8.3 Warp, MN8.3 Fill
MINIMUM YARDAGE CUSTOM COLOR 400 Yards
COMPOSITION 70% Wool/ 20% Polyester/ 5% Nylon/ 5% Acrylic
CLEANING CODE S, Spot clean using a water-free solvent or dry cleaning product. Cleaning by a professional service is recommended.
SW, Spot clean with upholstery shampoo, foam from a mild detergent, or mild dry cleaning solvent. Do not saturate with liquid. Pile fabrics may require brushing to restore appearance. Cushion covers should not be removed and dry cleaned.

PHYSICAL PROPERTIES

ABRASION RESISTANCE 100,000+ Cycles Martindale, Martindale Method ASTM D 4966-12
48,000+ Cycles Wyzenbeek, Wyzenbeek Method ASTM D 4157-10
BREAKING STRENGTH 108.4 Warp, 76.2 Fill, Method ASTM 5034
BRUSH PILL Class 3, ASTM D3511
SEAM SLIPPAGE 61.1 Warp, 41.6 Fill, Method ASTM D4034-92
TEAR STRENGTH: TONGUE TEAR 7.8 Warp, 7.1 Fill, ASTM D2261-13
CROCKING 5 Dry, 4 Wet, AATCC 8
COLORFASTNESS TO LIGHT Class 4, 40 Hours, AATCC16 Option 3

FLAME RETARDANCY

CALIFORNIA TECHNICAL BULLETIN 117:13 Pass
NFPA 260 Pass
UFAC CLASS I Pass

TARIFF CODE: 5111.30.0500