

Hartwell

GEN	IFR	ΔΙ	SP	FC.	ΙF	ICA	Γ	NS
VLI	-	\neg	OI.	-		-	-	IVO

WEIGHT (LINEAR YARD) 13-14 oz per linear yard 54"

WIDTH

COMPOSITION 89% Polyester/9% Polyurethane/2% Silicone

■ PIECE DYED ☐ YARN DYED ☐ FIBER DYED

DOBBY ☐ PILE ☐ JACQUARD

YARN PER INCH 131 EPI, 80 PPI YARN SIZE

150D Warp, 400D Fill **CLEANING CODE**

SW, Spot clean with upholstery shampoo, foam from a mild detergent, or a mild dry cleaning solvent. Do not saturate with liquid. Pile fabrics may require brushing to restore appearance. Cushion cover should not be removed and dry cleaned.

BC, Lightly spray with a 10% dilution of Household Bleach and water. After the appropriate contact time, blot surface dry and wipe or rinse with fresh water and blot dry.

PHYSICAL PERFORMANCE SPECIFICATIONS

ABRASION RESISTANCE 100.000+ Double Rubs* ASTM D4157-13

HYROSTATIC PRESSURE (SUTER) 270+cm (maximum) AATCC 127-2013, Option 1

BREAKING STRENGTH 249 Warp, 79 Fill ASTM D5034-09 **BRUSH PILL** Class 5 **ASTM D3511** CROCKING RESISTANCE 5 Dry, 5 Wet **AATCC 8-2016**

COLORFASTNESS TO LIGHT Class 4.5 AATCC 16.3-2014, Option 3

SEAM SLIPPAGE 94.0 Warp, 83.5 Fill ASTM D4034-92 TEAR STRENGTH: TONGUE TEAR 80 Warp, 25 Fill ASTM D2261-13

FLAME RETARDANCY SPECIFICATIONS

CALIFORNIA TECHNICAL BULLETIN 117:13 Pass **UFAC CLASS I** Pass **NFPA 260** Pass

REDUCED ENVIRONMENTAL IMPACT

THIS PRODUCT DOES NOT POSE ANY EXPOSURE RISKS ASSOCIATED WITH THE CHEMICALS IN PROP 65 NO ADDED FLAME RETARDANT CHEMICALS - AB2998 COMPLIANT NO ADDED ANTI-BACTERIAL / ANTI-MICROBIAL CHEMICALS LEAD / HEAVY METAL FREE BPA FREE / TRIS FREE / FORMALDEHYDE FREE DOES NOT CONTAIN CONFLICT MINERALS









Disclaimer: This product meets the Healthy Interior goals of the Safer Chemical Challenge according to the manufacturer Practice Greenhealth does not verify this information



^{*}Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.