Glaze

This spec has been updated to reflect the removal of flame retardant additives.

GENERAL SPECIFICATIONS SURFACE COMPOSITION SUBSTRATE COMPOSITION WEIGHT WIDTH THICKNESS	100% PVC (Phthalate Free) 75% Polyester/25% Cotton 36 oz per linear yard 54" 1.10 mm	
ADDED PERFORMANCE SPECIFICATIONS STAIN RESISTANCE COLORFASTNESS TO LIGHT BLEACH RESISTANCE COLD CRACK SULFIDE STAIN RESISTANCE	Yes 300 Hours Yes, 10% Dilution -20° F Yes	AATCC 16.3-2014, Option 3 CFFA-6a-2007
PHYSICAL PERFORMANCE SPECIFICATIONS ABRASION RESISTANCE BREAKING STRENGTH COATING ADHESION CROCKING RESISTANCE FLEX RESISTANCE TEAR STRENGTH: TONGUE TEAR SEAM STRENGTH: TACK TEAR	100,000 Double Rubs* 67 Warp, 78 Fill 11.0 Warp, 9.7 Fill 5 Dry, 5 Wet 25,000+ 7.1 Warp, 6.3 Fill 67 Warp, 64 Fill	ASTM D4157-13 ASTM D751-06 ASTM D751-06 AATCC 8-2013 ASTM D2097-03 ASTM D751-06 ASTM D751-06

*Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

FLAME RETARDANCY SPECIFICATIONS

Pass
Pass
Pass
Pass

REDUCED ENVIRONMENTAL IMPACT

THIS PRODUCT DOES NOT POSE ANY EXPOSURE RISKS ASSOCIATED WITH THE CHEMICALS IN PROP 65 NO ADDED FLAME RETARDANT CHEMICALS - AB2998 COMPLIANT NO ADDED ANTI-BACTERIAL / ANTI-MICROBIAL CHEMICALS PHTHALATE FREE LEAD / HEAVY METAL FREE BPA FREE / TRIS FREE / FORMALDEHYDE FREE DOES NOT CONTAIN CONFLICT MINERALS





*ACT® Registered Certification Marks