

Oneida

GENERAL SPECIFICATIONS

<p>WEIGHT (LINEAR YARD)</p> <p>WIDTH</p> <p>COMPOSITION</p> <p><input checked="" type="checkbox"/> PIECE DYED</p> <p><input checked="" type="checkbox"/> DOBBY</p> <p>YARN PER INCH</p> <p>YARN SIZE</p> <p>BACKING</p> <p>CLEANING CODE</p>	<p>19.0 oz per linear yard</p> <p>54"</p> <p>90% Polyester / 8% Polyurethane / 2% Silicone</p> <p><input type="checkbox"/> YARN DYED</p> <p><input type="checkbox"/> JACQUARD</p> <p>126 EPI, 46 PPI</p> <p>300D Warp, 300D+630D Fill</p> <p>Polyurethane</p> <p>SW, Spot clean with upholstery shampoo, foam from a mild detergent, or mild dry cleaning solvent. Do not saturate with liquid. Pile fabrics may require brushing to restore appearance. Cushion cover should not be removed and dry cleaned.</p> <p>BC, Lightly spray with a 10% dilution of Household Bleach and water. After the appropriate contact time, blot surface dry and wipe or rinse with fresh water and blot dry.</p>	<p><input type="checkbox"/> FIBER DYED</p> <p><input type="checkbox"/> PILE</p>
--	---	---

PHYSICAL PERFORMANCE SPECIFICATIONS

<p>ABRASION RESISTANCE</p> <p>HYDROSTATIC PRESSURE (SUTER)</p> <p>BREAKING STRENGTH</p> <p>BRUSH PILL</p> <p>CROCKING RESISTANCE</p> <p>COLORFASTNESS TO LIGHT</p> <p>SEAM SLIPPAGE</p> <p>WATER REPELLENCY SPRAY TEST</p> <p>TEAR STRENGTH: TONGUE TEAR</p>	<p>90,000 Double Rubs</p> <p>270+cm (maximum)</p> <p>274 Warp, 266 Fill</p> <p>Class 4.5</p> <p>5 Dry, 5 Wet</p> <p>Class , 40 hours</p> <p>107 Warp, 108 Fill</p> <p>100</p> <p>56.8 Warp, 73.6 Fill</p>	<p>ASTM D4157-13</p> <p>AATCC 127-13, Option 1</p> <p>ASTM D5034-09</p> <p>ASTM D3511</p> <p>AATCC 8-2016</p> <p>AATCC 16.3-2014</p> <p>ASTM D4034-92</p> <p>AATCC 22-2014</p> <p>ASTM D2261-13</p>
--	---	---

**Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.*

FLAME RETARDANCY SPECIFICATIONS

<p>CALIFORNIA TECHNICAL BULLETIN 117:13</p> <p>UFAC CLASS I</p> <p>NFPA 260</p>	<p>Pass</p> <p>Pass</p> <p>Pass</p>
---	-------------------------------------

REDUCED ENVIRONMENTAL IMPACT

THIS PRODUCT DOES NOT POSE ANY EXPOSURE RISKS ASSOCIATED WITH THE CHEMICALS IN PROP 65

NO ADDED FLAME RETARDANT CHEMICALS - AB2998 COMPLIANT

NO ADDED ANTI-BACTERIAL / ANTI-MICROBIAL CHEMICALS

LEAD / HEAVY METAL FREE

BPA FREE / TRIS FREE / FORMALDEHYDE FREE

DOES NOT CONTAIN CONFLICT MINERALS



Disclaimer: This product meets the Healthy Interior goals of the Safer Chemical Challenge according to the manufacturer Practice Greenhealth does not verify this information.



*ACT® Registered Certification Marks