Chrystie

GENERAL SPECIFICATIONS WEIGHT (LINEAR YARD) WIDTH COMPOSITION

PIECE DYED

DOBBY

□ YARN DYED □ JACQUARD

YARN PER INCH YARN SIZE BACKING STAIN RESISTANCE CLEANING CODE 18.5 oz per linear yard 54" 100% Polyester

□ FIBER DYED □ PILE

81.3 EPI, 40.6 PPI T300D+T10S Warp, T300D+T5.6N Fill SBR

PFAS Free SW, Spot clean with upholstery shampoo, foam from a mild detergent, or a mild dry cleaning solvent. Do not saturate with liquid. Pile fabrics may require brushing to restore appearance. Cushion cover should not

PHYSICAL PERFORMANCE SPECIFICATIONS

ABRASION RESISTANCE BREAKING STRENGTH BRUSH PILL CROCKING RESISTANCE COLORFASTNESS TO LIGHT SEAM SLIPPAGE TEAR STRENGTH: TONGUE TEAR 100,000+ Double Rubs* 340 Warp, 167 Fill Class 4.5 5 Dry, 5 Wet Class 4 82.9 Warp, 71.8 Fill 70.1 Warp, 36.7 Fill

be removed and dry cleaned.

ASTM D4157-13 ASTM D5034-09 ASTM D3511 AATCC 8-2013 AATCC 16.3-2012, Option 3 ASTM D4034-92 ASTM D2261-13

*Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.

FLAME RETARDANCY SPECIFICATIONS

CALIFORNIA TECHNICAL BULLETIN 117:13	Pass
UFAC CLASS I	Pass
NFPA 260	Pass

REDUCED ENVIRONMENTAL IMPACT

THIS PRODUCT DOES NOT POSE ANY EXPOSURE RISKS ASSOCIATED WITH THE CHEMICALS IN PROP 65 NO ADDED FLAME RETARDANT CHEMICALS - AB2998 COMPLIANT NO ADDED ANTI-BACTERIAL / ANTI-MICROBIAL CHEMICALS LEAD / HEAVY METAL FREE BPA FREE / TRIS FREE / FORMALDEHYDE FREE DOES NOT CONTAIN CONFLICT MINERALS





^{*}ACT® Registered Certification Marks